

Acetal rod - extruded

co-polymer - natural / black / blue FG

Diameter (mm)	Tolerance (mm)		kg/m	Natural Availability	Black Availability	Blue FG Availability	Colours Availability
	(min)	(max)					
3	+0.1	+0.4	0.02	○	○	-	-
4	+0.1	+0.4	0.03	○	○	-	-
5	+0.1	+0.4	0.04	✓	✓	-	-
6	+0.1	+0.4	0.05	✓	✓	-	-
8	+0.1	+0.5	0.08	✓	✓	-	-
10	+0.1	+0.5	0.12	✓	✓	-	-
12	+0.2	+0.7	0.18	✓	✓	-	-
15	+0.2	+0.7	0.27	○	○	-	-
16	+0.2	+0.7	0.31	✓	✓	-	-
18	+0.2	+0.7	0.39	✓	✓	-	-
20	+0.2	+0.7	0.47	✓	✓	✓	-
22	+0.2	+0.9	0.58	✓	✓	-	-
25	+0.2	+0.9	0.74	✓	✓	✓	✓
28	+0.2	+0.9	0.92	✓	✓	-	-
30	+0.2	+0.9	1.05	✓	✓	✓	-
32	+0.2	+1.1	1.20	✓	✓	-	-
36	+0.2	+1.1	1.51	✓	✓	-	-
40	+0.2	+1.1	1.86	✓	✓	✓	✓
45	+0.3	+1.3	2.36	✓	✓	-	-
50	+0.3	+1.3	2.92	✓	✓	✓	-
56	+0.3	+1.3	3.63	✓	✓	-	-
60	+0.3	+1.6	4.18	✓	✓	✓	✓
65	+0.3	+1.6	4.89	✓	✓	-	-
70	+0.3	+1.6	5.66	✓	✓	✓	-
75	+0.4	+2.0	6.50	✓	✓	-	-
80	+0.4	+2.0	7.42	✓	✓	✓	-
85	+0.5	+2.2	8.39	✓	✓	-	-
90	+0.5	+2.2	9.38	✓	✓	✓	-
100	+0.6	+2.5	11.60	✓	✓	✓	-
110	+0.7	+3.0	14.07	✓	✓	-	-
120	+0.8	+3.5	16.78	✓	✓	○	-
125	+0.8	+3.5	18.18	✓	✓	-	-
130	+0.9	+3.8	19.69	✓	✓	-	-
135	+0.9	+3.8	21.21	○	○	-	-
140	+0.9	+3.8	22.78	✓	✓	-	-
150	+1.0	+4.2	26.18	✓	✓	-	-
160	+1.1	+4.5	29.80	✓	✓	-	-
165	+1.2	+5.0	31.77	✓	✓	-	-
180	+1.2	+5.0	37.69	✓	✓	-	-
200	+1.3	+5.5	46.51	✓	✓	-	-
210	+1.5	+6.2	51.26	✓	○	-	-
230	+1.5	+6.2	61.47	✓	○	-	-
250	+1.5	+6.2	72.49	✓	○	-	-
300	+0.0	+7.0	108.70	✓	✓	-	-
350	+0.0	+7.0	145.60	○	○	-	-
400	+0.0	+10.0	189.70	○	-	-	-
500	+0.0	+10.0	287.40	○	-	-	-

- Standard lengths: 1000, 3000mm
- ✓ – Items are normally ex-stock
- – Items availability normally within 7-10 days
- – Items not available
- Acetal Blue FG - Ral 5002, EU 1935/2004
- Acetal Colours: Red (RAL: 3020), Green (RAL: 6016)